
multitrac Documentation

Release 0.1.2

January 28, 2015

1	Quick Start	3
2	Table of Contents	5
2.1	Definitions of basic terms	5
2.2	User Interface	5
2.3	API	8
3	Changelog	9
3.1	0.1.2 (2010-02-26)	9
3.2	0.1.1 (2010-02-26)	9
3.3	0.1 (2010-02-26)	9
4	License	11
4.1	Indices and tables	11
	Python Module Index	13

Project title multitrac

Author NiteoWeb Ltd.

Source <https://github.com/niteoweb/multitrac>

Docs <http://readthedocs.org/docs/multitrac>

Framework Pyramid

Quick Start

Start hacking away on this project by running:

```
$ git clone git@github.com:niteoweb/multitrac.git
$ cd multitrac
$ virtualenv -p python2.6 --no-site-packages ./
$ bin/python bootstrap.py
$ bin/buildout
$ bin/paster serve development.ini
```

Table of Contents


2.1 Definitions of basic terms

Trac A single instance of a popular issue-tracker Trac.

2.2 User Interface


2.2.1 Active tickets

A list of active tickets for a selected developer across all Tracs.



2.2.2 Logged hours

A list of logged hours for a selected developer across all Tracs, for a selected month or week.



2.2.3 Settings

Configuration settings. Which Tracs to query, their access credentials and which users to offer in the *users* drop-down menu.

A screenshot of a web browser window displaying the MultiTrac application. The browser's address bar shows "http://". The page title is "MultiTrac". In the top right corner, there are links for "Hours", "Tickets", and "Settings". The main content area is titled "Settings". Under the "Tracs" section, it says "Tracs that we will query, one per line. Format: <username>|<password>|<url>". Below this is a large empty text input box. Under the "Users" section, it says "Enter users that can be selected from the dropdown, one per line. Format: <user_id>". Below this is a smaller empty text input box. At the bottom left of the form area is a "Save" button. The browser window has a standard toolbar with back, forward, and home buttons.

2.3 API

2.3.1 Miscellaneous

Utility functions, interfaces and exceptions.

`multitrac.main(global_config, **settings)`

This function returns a Pyramid WSGI application.

Changelog

3.1 0.1.2 (2010-02-26)

- Added sane package description. [zupo]

3.2 0.1.1 (2010-02-26)

- Re-releasing 1.0. [zupo]

3.3 0.1 (2010-02-26)

- Initial release. [brodul, zupo]

License

Copyright (c) 2011, NiteoWeb Ltd. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of NiteoWeb Ltd. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS “AS IS” AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL NITEOWEB LTD. BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

4.1 Indices and tables

- *genindex*
- *modindex*
- *search*

m

`multitrac`, 8

M

`main()` (in module `multitrac`), [8](#)
`multitrac` (module), [8](#)

T

`Trac`, [5](#)